

Sidney

Tantalizing Trove



OPEN DECK MERCHANDISER



Meat



Delicatessen



Dairy products




Fruit & Vegetable

Williams
Display Cabinet
Crafted for Excellence

Destination for Freshness and Flavour

Offering an appealing presentation, unparalleled transparency, and the option to merge two vertical cabinets into one, it's the ideal solution for stores seeking to blend top performance and innovative design while enjoying the flexibility to craft custom layouts.






Design

- | The quality display relies on the perfect transparency and minimalist design of the showcase.
- | Custom modular design to suit any food and beverage display requirements.

Glass structure

- | Side glasses are double glazed.
- | Anti-Skid legs are provided.






Material

- | The material is fundamental for every planner or designer.
- | AISI 304 food grade stainless steel with with matte finish.
- | Front decorative panel is elegantly designed.
- | Racks are provided with customizable colour options.

Lighting

| Lighting is crucial for effectively showcasing products, which is why Williams opted to incorporate an innovative indirect lighting system featuring LEDs seamlessly integrated into the display.



- | Electronic digital controller of Italian make is used for precise control and display of the temperature of the food items.
- | Novel design of extrusion where LEDs are located at the top with optional white/neutral white colours.



Refrigeration

- | Remote / Self-contained refrigeration system.
- | The cabinet's thermodynamics maintain a uniform temperature across all shelves, while its electronic fans offer adjustable speeds and operate quietly.
- | The product presentation features high contrast for enhanced visibility. The refrigeration system includes easily removable air grills for compatibility.
- | Ideal humidity levels contribute to the optimal preservation of the product.
- | Auto drain removal system.

Technical Specifications

Model	Sidney 4'	Sidney 6'
Series	Cold	Cold
Temperature Range	+2°C to +5°C	+ 2°C to +5°C
Climate class / Temp./ RH%	3 / 25°C / 55%	3 / 25°C / 55%
Cooling System	Ventilated	Ventilated
Unit Dimension	1410 X 1034 X 2160 mm	2036 X 1034 X 2160 mm
Net Weight	336kg	460kg






Williams Refrigeration

UNIT-I
111 'C', KIADB Industrial Area
1st Phase, Bommasandra,
Hosur Main Road, Bangalore-560099, INDIA

UNIT-II
Plot No. 127&128, Bommasandra IV Phase,
Yarandahally, Bangalore-560099,
Karnataka, India.

 +91-9844013768

 sales@williamsrefrigeration.in
info@williamsrefrigeration.in

 www.williamsrefrigeration.co.in



Facebook



Youtube



Instagram

