

# Smart

Sleek and Stylish



ICE CREAM / GELATO DISPLAY



Ice Cream



Gelato


**Williams**   
Display Cabinet  
*Crafted for Excellence*

# Essential design

Professional ice-cream display cases with unique design and high-level technical features, offering a wide range of products to suit your needs. Multifunctional, adaptable and elegant ice-cream display cases, a perfect balance between aesthetics and functionality.

## Features

- | Slots are provided where flavour tags can be placed in front of the product.
- | Polycarbonate sliding door. Possess brass/steel nobs and the doors slide very smoothly.
- | The front glass is associated with heater wires which avoids creation of fog.
- | Novel design of extrusion where dual LED strips are located at the top with optional white/neutral white colours.



# Features



- | Front decorative panel material is customizable on request.
- | The display is available in 4' (9 flavours) and 4' (12 flavours) and 4' (10 flavours).
- | The side glass is provided with ceramic paint.



- | Electronic digital controller of Italian make is used for precise control and display of the temperature of the food items.
- | Exclusive ON/OFF power switch is provided in the system. Also, ON/OFF switch for LED is given.



- | Heavy duty wheels are provided for easy movement of the system.
- | Specially designed scoop washer is an optional feature which helps in washing ice cream scoops instantly.



- | Scoop washer is provided as an optional feature.
- | Specially designed scoop washer is an optional feature which helps in washing ice cream scoops instantly.
- | Work top is made of corian material.



## Key Features

- | The system is sustainable, that zero ODP refrigerants are used.
- | Wide range: 9 pans, 10 pans and 12 pans.
- | High humidity enhances the perfect preservation of the ice cream.
- | Durable and energy efficient European make compressor.
- | AISI 304 food grade stainless steel with with matte finish.
- | Balanced, forced air refrigeration system enables rapid product pull down and even temperature throughout.
- | Pull out refrigeration system for easy maintenance.

# Technical Specifications

Model	Smart 4'
Temperature Range	-15°C TO - 21°C
Voltage / Frequency	1ph / 230V / 50Hz
Cooling System	Ventilated
Power & Current Consumption	1200W/5.3A
Climate class / Temp. / RH%	3 / 25°C / 55%
No. of GN pans	12 / 9/10
GN pan size	265 × 165 × 150mm / 360X165X120
Refrigerant	R404A
Unit Dimension (WxDxH)	1220 x 800 x 1280mm
Weight	185kg
No. of Sliding doors	2





## Williams Refrigeration

UNIT-I  
# 111 'C', KIADB Industrial Area  
1st Phase, Bommasandra,  
Hosur Main Road, Bangalore-560099, INDIA

UNIT-II  
Plot No. 127&128, Bommasandra IV Phase,  
Yarandahally, Bangalore-560099,  
Karnataka, India.

 +91-9844013768

 sales@williamsrefrigeration.in  
info@williamsrefrigeration.in

 [www.williamsrefrigeration.co.in](http://www.williamsrefrigeration.co.in)



Facebook



Youtube



Instagram

